



PK584 (v1.0) September 28,
2012

100% Material Declaration Data Sheet FG400 XC3S400AN

Average Weight: 2.0455 g

Component	Substance Description	CAS# or Description	% of Component	Use in Product	Component Weight/ Substance Weight (in grams)	Component % of Total
Silicon Die (FPGA)					0.017871	0.874
	Silicon (Si)	7440-21-3	100.00		0.017871	
Silicon Die (PROM)					0.002099	0.103
	Silicon (Si)	7440-21-3	100.00		0.002099	
Die attach					0.002719	0.133
	Silver	7440-22-4	77.50		0.002107	
	Bismaleimide Monomer	Trade Secret	15.00		0.000408	
	Acrylate Monomer	Trade Secret	7.50		0.000204	
Film					0.000010	0.000
	Epoxy Resin	N/A	12.50		0.000001	
	Phenol Resin	N/A	12.50		0.000001	
	Amorphous Silica	7631-86-9	35.00		0.000004	
	Synthetic Rubber	N/A	40.00		0.000004	
Mold Compound					0.824233	40.296
	Silica Fused	60676-86-0	70.90		0.584381	
	Silica Fused	7631-86-9	15.00		0.123635	
	Silica, Crystalline	14808-60-7	0.30		0.002473	
	Epoxy resin A	Trade Secret	3.00		0.024727	
	Epoxy resin B	Trade Secret	3.00		0.024727	
	Phenol resin A	Trade Secret	3.00		0.024727	
	Phenol resin B	Trade Secret	3.00		0.024727	
	Metal Hydroxide	Trade Secret	1.50		0.012363	
	Carbon Black	1333-86-4	0.30		0.002473	
Solder Ball					0.380719	18.613
	Tin	7440-31-5	63.00		0.239853	
	Lead	7439-92-1	37.00		0.140866	

100% Material Declaration Data Sheet – FG400 XC3S400AN

Component	Substance Description	CAS# or Description	% of Component	Use in Product	Component Weight/ Substance Weight (in grams)	Component % of Total
Gold Wire 1					0.016172	0.791
	Gold	7440-57-5	99.05		0.016018	
	Palladium	7440-05-3	0.95		0.000154	
	Calcium	7440-70-2	0.00		0.000000	
Gold Wire 2					0.000546	0.027
	Gold	7440-57-5	99.05		0.000541	
	Palladium	7440-05-3	0.95		0.000005	
	Calcium	7440-70-2	0.00		0.000000	
Substrate					0.801090	39.164
	Copper	7440-50-8	35.78		0.286630	
	Nickel	7440-02-0	3.98		0.031883	
	Gold	7440-57-5	0.48		0.003845	
	Glass fiber	65997-17-3	16.69		0.133702	
	Halogen FR	N/A	0.10		0.000801	
	BT Core	13676-54-5 25722-66-1 29690-82-2 26265-08-7 13776-74-4 7631-86-9 7440-50-8	34.25		0.274373	
	Solder mask	64742-94-5 14807-96-6 7727-43-7 7631-86-9 34590-94-8	8.72		0.069855	

Revision History

The following table shows the revision history for this document.

Date	Version	Description of Revisions
09/28/12	1.0	Initial Xilinx release.

Notice of Disclaimer

Xilinx regards this materials data to be correct but makes no guarantee as to its accuracy or completeness, including, but not limited to, with respect to its compliance with applicable environmental laws and regulations. Xilinx subcontracts the production, test and assembly of hardware devices to independent third-party vendors and materials suppliers (“Contractors”). All data provided hereunder is based on information received from Contractors. Xilinx has not independently verified the accuracy or completeness of this information which is provided solely for your reference in connection with the use of Xilinx products.